

**Be Right™****SAFETY DATA SHEET**

Issue Date 06-Jun-2016

Revision Date 06-Oct-2016

Version 2

Page 1 / 19

**1. IDENTIFICATION****Product identifier****Product Name**

StablCal®Formazin Standard 100 NTU

**Other means of identification****Product Code(s)**

2795401

**Safety data sheet number**

M03412

**Recommended use of the chemical and restrictions on use****Recommended Use**

Laboratory Use. Standard solution.

**Uses advised against**

None.

**Restrictions on use**

None.

**Details of the supplier of the safety data sheet****Manufacturer Address**

Hach Company  
 P.O.Box 389 Loveland, CO 80539 USA  
 (970) 669-3050

**Emergency telephone number**

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

**2. HAZARDS IDENTIFICATION****Classification****Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization

Category 1

Skin sensitization

Category 1

**Hazards not otherwise classified (HNOC)**

Not applicable

**Label elements**

Signal word - Danger



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 2 / 19

#### Hazard statements

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H317 - May cause an allergic skin reaction EUH208 - May produce an allergic reaction  
EUH208 - Contains ( . ? ). May produce an allergic reaction

#### Precautionary statements

P285 - In case of inadequate ventilation wear respiratory protection  
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing  
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention  
P321 - Specific treatment (see supplemental first aid instructions on this label)  
P363 - Wash contaminated clothing before reuse  
P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Information

Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Formaldehyde	50-00-0	<0.1%	-



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 3 / 19

#### 4. FIRST AID MEASURES

##### Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required. Rinse mouth.
Self-protection of the first aider	Use personal protective equipment as required.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 11: TOXICOLOGICAL INFORMATION.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization in susceptible persons.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

##### Flammable properties

During a fire, this product decomposes to form toxic gases.

##### Specific hazards arising from the chemical

May react violently with. Strong acids. Strong oxidizers. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

**Hazardous combustion products**

This material will not burn.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### **U.S. Notice**

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

##### **EC Notice**

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 4 / 19

#### WHMIS Notice

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Avoid contact with eyes and skin.

**For emergency responders** Use personal protection recommended in Section 8.

#### Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains.

**Emergency Response Guide Number** Not applicable

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.

**Flammability class** Not applicable

**Incompatible materials** Oxidizers. Acids.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde <0.1%	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Formaldehyde <0.1%	Ceiling: 1 ppm Ceiling: 1.3 mg/m <sup>3</sup> TWA: 0.75 ppm TWA: 0.9 mg/m <sup>3</sup>	TWA: 0.3 ppm Ceiling: 1 ppm SKN+	Ceiling: 0.3 ppm	TWA: 0.5 ppm STEL: 1.5 ppm	RSP+ Ceiling: 0.3 ppm SKN+



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 5 / 19

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 5 - 10%	NDF	NDF	NDF	STEL: 0.35 ppm STEL: 2 mg/m <sup>3</sup>	NDF
Formaldehyde <0.1%	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde <0.1%	Ceiling: 2 ppm Ceiling: 3 mg/m <sup>3</sup>	Ceiling: 0.3 ppm SKN+	Ceiling: 2 ppm Ceiling: 3 mg/m <sup>3</sup>

#### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Legend

See section 16 for terms and abbreviations

#### Appropriate engineering controls

#### Engineering Controls

Minimize exposure by partial enclosure of the operation or equipment and provide extract ventilation at openings

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### Skin and body protection

Suitable protective clothing.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

#### Physical state

Liquid

#### Gas Under Pressure

Not classified according to GHS criteria

#### Appearance

Turbid solution  
aqueous solution

#### Color

white

#### Odor

Odorless

#### Odor threshold

No data available

#### Property

#### Values

#### Remarks • Method

#### Molecular weight

No data available

#### pH

No data available

#### Melting point/freezing point

~ 0 °C / 32 °F

Estimation based on theoretical calculation

#### Boiling point / boiling range

~ 100 °C / 212 °F

Estimation based on theoretical calculation

Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 6 / 19

Evaporation rate	1 (water = 1) Estimation based on theoretical calculation	
Vapor pressure	17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.62 (air = 1)	
Specific gravity (water = 1 / air = 1)	1.02	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

#### Solubility(ies)

##### Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

##### Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

#### Other Information

Metal Corrosivity	Not classified as corrosive to metal according to GHS criteria
Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available
Volatile Organic Compounds (VOC) Content	No information available.
Bulk density	Not applicable
Explosive properties	Not classified according to GHS criteria.
Explosion data	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flammable properties	During a fire, this product decomposes to form toxic gases.
Flammability Limit in Air	
Upper flammability limit:	No data available



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 7 / 19

Lower flammability limit:

No data available

Flash point

No data available

Oxidizing properties

Not classified according to GHS criteria.

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

## 10. STABILITY AND REACTIVITY

### Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

### Chemical stability

Stable under recommended storage conditions.

### Special dangers of the product

No information available

### Possibility of Hazardous Reactions

No information available.

### Hazardous polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Poor Ventilation. Extremes of temperature and direct sunlight.

### Incompatible materials

Oxidizers. Acids.

### Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

### Explosive properties

Not classified according to GHS criteria.

Upper explosion limit

No data available

Lower explosion limit

No data available

### Autoignition temperature

No data available

### Sensitivity to Static Discharge

None reported

### Sensitivity to Mechanical Impact

None reported

## 11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number

None reported



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 8 / 19

#### Information on Likely Routes of Exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	Allergies. Skin disorders. Respiratory disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Formaldehyde (<0.1%) CAS#: 50-00-0	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.

#### Product Acute Toxicity Data

Oral Exposure Route	No data available
Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

#### Unknown acute toxicity

0.161% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7,175.00 mg/kg
---------------	----------------

#### Ingredient Acute Toxicity Data

##### Oral Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Rat LD <sub>50</sub>	569 mg/kg	None reported	None reported	Vendor SDS
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	No information available
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD <sub>Lo</sub>	70 mg/kg	None reported	Kidney, Ureter, or Bladder Other changes Liver	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD <sub>Lo</sub>	643 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory obstruction	RTECS (Registry of Toxic Effects of Chemical Substances)

##### Dermal Exposure Route



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 9 / 19

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

**Inhalation (Dust/Mist) Exposure Route**

No data available

**Inhalation (Vapor) Exposure Route**

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

**Inhalation (Gas) Exposure Route**

No data available

**Product Skin Corrosion/Irritation Data**

No data available.

**Ingredient Skin Corrosion/Irritation Data**

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

**Product Serious Eye Damage/Eye Irritation Data**

No data available.

**Ingredient Eye Damage/Eye Irritation Data**

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Standard Draize Test	Rabbit	100 mg	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 10 / 19

(<0.1%) CAS#: 50-00-0						Toxic Effects of Chemical Substances)
<b>Chemical Name</b>	<b>Test method</b>	<b>Species</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Results</b>	<b>Key literature references and sources for data</b>
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Sensitization Information

##### Product Sensitization Data

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

##### Ingredient Sensitization Data

##### Skin Sensitization Exposure Route

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)

##### Respiratory Sensitization Exposure Route

Chemical Name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

#### Chronic Toxicity Information

##### Product Repeat Dose Toxicity Data

Oral Exposure Route No data available.

Dermal Exposure Route No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

##### Ingredient Repeat Dose Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Inhalation (Vapor) Exposure Route Toxicological data for ingredients is not indicative of likely harm.



Product Code(s) 2795401  
 Issue Date 06-Jun-2016  
 Version 2

Product Name StablCal®Formazin Standard 100 NTU  
 Revision Date 06-Oct-2016  
 Page 11 / 19

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC <sub>Lo</sub>	0.017 mg/L	0.5 days	Eye Lacrimation Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC <sub>Lo</sub>	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	-	-	-	-
Formaldehyde	50-00-0	A2	Group 1	Known	X

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

#### Product Carcinogenicity Data

No data available

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

#### Ingredient Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

#### Product Germ Cell Mutagenicity *invitro* Data

No data available.



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 12 / 19

**Ingredient Germ Cell Mutagenicity *invitro* Data**

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

**Ingredient Germ Cell Mutagenicity *in vivo* Data**

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	DNA damage	Rat	0.000035 mg/L	8 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StabiCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 13 / 19

Inhalation (Gas) Exposure Route

No data available

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

#### Ingredient Reproductive Toxicity Data

Oral Exposure Route

Toxicological data for ingredients is not indicative of likely harm.

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	.0005 mg/L	19 days	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

## 12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on the classification principles, not classified as hazardous to the environment.

#### Product Ecological Data

Aquatic toxicity

Fish

No data available

Crustacea

No data available

Algae

No data available

Terrestrial toxicity

Soil

No data available

Vertebrates

No data available

Invertebrates

No data available



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 14 / 19

### Ingredient Ecological Data

#### **Aquatic toxicity**

##### **Fish**

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	96 hours	<i>Alburnus alburnus</i>	LC <sub>50</sub>	> 10000 mg/L	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC <sub>50</sub>	6.7 mg/L	PEEN (Pan European Ecological Network)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	None reported	LC <sub>50</sub>	52.5 mg/L	PEEN (Pan European Ecological Network)

##### **Crustacea**

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	> 36000 mg/L	EPA (United States Environmental Protection Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecological Network)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 hours	<i>Daphnia magna</i>	EC <sub>50</sub>	29 mg/L	PEEN (Pan European Ecological Network)

##### **Algae**

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	72 hours	<i>Selenastrum capricornutum</i>	EC <sub>50</sub>	> 100 mg/L	CEPA (Canadian Environmental Protection Agency)

#### **Terrestrial toxicity**

##### **Soil**

No data available

##### **Vertebrates**

No data available

##### **Invertebrates**

No data available

#### **Other Information**

Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL):



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 15 / 19

Environmentally Hazardous Substances Categorizations					
Chemical Name	CAS No	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	-	-	-	-
Formaldehyde	50-00-0	-	-	-	-

**Persistence and degradability**

None known.

**Product Biodegradability Data**

If available, see ingredient data below.

**Ingredient Biodegradability Data**

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	None reported	70%	28 days	Readily biodegradable

**Bioaccumulation**

If available, see ingredient data below.

**Product Bioaccumulation Data**

If available, see ingredient data below.

**Ingredient Bioaccumulation Data**

Chemical Name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	None reported	None reported	None reported	None reported	Does not have the potential to bioaccumulate

**Additional information**

**Product Information**

Partition Coefficient (n-octanol/water)

Not applicable

**Ingredient Information**

Chemical Name	Partition Coefficient (n-octanol/water)	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	$\log K_{ow} = -2.13$	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	$\log K_{ow} = 0.35$	No information available

**Mobility**



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 16 / 19

Mobility in soil: High mobility. If available, see ingredient data below.

#### Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

#### Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	$\log K_{oc} = 2.68$	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	$\log K_{oc} = 0.89$	No information available

#### Additional information

##### Water solubility

#### Product Information

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane CAS#: 100-97-0	Completely soluble	667000 mg/L	20 °C	68 °F
Formaldehyde CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

##### Disposal of wastes

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

##### Contaminated packaging

Dispose of in accordance with federal, state and local regulations.

##### US EPA Waste Number

Not applicable, U122

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 17 / 19

#### 14. TRANSPORT INFORMATION

DOT Not regulated  
**Special Provisions**  
TDG Not regulated  
IATA Not regulated  
IMDG Not regulated  
**Note:** No special precautions necessary.

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

#### 15. REGULATORY INFORMATION

##### National Inventories

**TSCA** Complies  
**DSL/NDSL** Complies

**TSCA**- United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL**- Canadian Domestic Substances List/Non-Domestic Substances List

##### International Inventories

**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**TCSI** Complies  
**AICS** Complies  
**NZIoC** Complies

**EINECS/ELINCS**- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS**- Japan Existing and New Chemical Substances  
**IECSC**- China Inventory of Existing Chemical Substances  
**KECL**- Korean Existing and Evaluated Chemical Substances  
**PICCS**- Philippines Inventory of Chemicals and Chemical Substances  
**TCSI**- Taiwan Chemical Substances Inventory  
**AICS**- Australian Inventory of Chemical Substances  
**NZIoC**- New Zealand Inventory of Chemicals

##### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1

##### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No



Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 18 / 19

Sudden release of pressure hazard  
Reactive Hazard

No  
No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

#### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

#### US State Regulations

##### California Proposition 65

This product contains the following Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Formaldehyde 50-00-0	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

#### NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection - X - See section 8 for more information

Product Code(s) 2795401  
Issue Date 06-Jun-2016  
Version 2

Product Name StablCal®Formazin Standard 100 NTU  
Revision Date 06-Oct-2016  
Page 19 / 19

**Key or legend to abbreviations and acronyms used in the safety data sheet**

NIOSH IDLH	<i>Immediately Dangerous to Life or Health</i>
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	<i>no data</i>

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 06-Jun-2016

Revision Date 06-Oct-2016

Revision Note None

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY©2016

End of Safety Data Sheet